

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	77	((AHMED) near2 (HASSAN)).INV.	US-PGPUB; USPAT	AND	ON	2007/08/30 18:21
L3	3	((BO) near2 (ZOU)).INV.	US-PGPUB; USPAT	AND	ON	2007/08/30 18:21
L4	25	((IAN) near2 (PATTERSON)).INV.	US-PGPUB; USPAT	AND	ON	2007/08/30 18:22
S1	1	10/786003.app.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 07:53
S2	3	"1383292"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 07:52
S3	1	10/786003.app.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 07:53
S4	1	"20050190776"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 08:30
S5	112	(packet with sequence same assembl\$3) (wireless with network) gateway	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 08:59
S6	0	((packet with sequence) same (pre ADJ determin\$3) same request\$3 same assembl\$3) (wireless with network) gateway	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 08:38
S7	7	((packet with sequence) same request\$3 same assembl\$3) (wireless with network) gateway	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 08:52
S8	5	((packet with sequence) same request\$3 same assembl\$3) (wireless with network) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 08:53
S9	5	((packet with sequence) same request\$3 same assembl\$3) interface (wireless with network) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 08:55
S10	4	((packet with sequence) same request\$3 same assembl\$3) distribut\$3 interface ((wireless or mobile) with network) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 08:56
S11	316	(packet with sequence same assembl\$3) gateway	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:00

## EAST Search History

S12	53	(packet with sequence same assembl\$3) gateway (370/231,394, 401.ccls. or 455/426.1,564.ccls. or 709/203,225,229.ccls. or 379/442, 456.ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:04
S13	37	(packet with sequence same assembl\$3) ((wireless or mobile) network) gateway (370/231,394, 401.ccls. or 455/426.1,564.ccls. or 709/203,225,229.ccls. or 379/442, 456.ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:06
S14	9	(packet with sequence same request\$3 same assembl\$3) ((wireless or mobile) network) gateway (370/231,394,401.ccls. or 455/426.1,564.ccls. or 709/203,225, 229.ccls. or 379/442,456.ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:07
S15	9	(packet with sequence same request\$3 same assembl\$3) ((wireless or mobile) network) gateway (370/231,394,401.ccls. or 455/426.1,564.ccls. or 709/203,225, 229.ccls. or 379/442,456.ccls.)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:07
S16	7	(packet with sequence same request\$3 same assembl\$3) ((wireless or mobile) network) gateway (370/231,394,401.ccls. or 455/426.1,564.ccls. or 709/203,225, 229.ccls. or 379/442,456.ccls.) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:14
S17	0	(interface adj device) (receiv\$3 with packet with sequence same ((wireless or mobile) network)) ((miss\$3 with packet) with (send\$3 or transmit\$3) with request\$3) (assembl\$3 with packet with message) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:20
S18	1	(interface adj device) (receiv\$3 with packet with sequence same ((wireless or mobile) network)) ((miss\$3 with packet) with (send\$3 or transmit\$3) with request\$3) (assembl\$3 with packet with message) gateway	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:20

## EAST Search History

S19	1	(interface with device) (receiv\$3 with packet with sequence same ((wireless or mobile) network)) ((miss\$3 with packet) with (send\$3 or transmit\$3) with request\$3) (assembl\$3 with packet with message) gateway	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:21
S20	1	(receiv\$3 with packet with sequence same ((wireless or mobile) network)) ((miss\$3 with packet) with (send\$3 or transmit\$3) with request\$3) (assembl\$3 with packet with message) gateway	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:22
S21	1	(receiv\$3 with packet with sequence same ((wireless or mobile) network)) (request\$3 with miss\$3 with packet) (assembl\$3 with packet with message) gateway	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:24
S22	1	(receiv\$3 with packet same sequence same ((wireless or mobile) network)) (miss\$3 with packet same request\$3) (assembl\$3 with packet same message) gateway	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:26
S23	1	(packet with sequence same ((wireless or mobile) network)) (miss\$3 with packet same request\$3) (assembl\$3 with packet same message) gateway	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:27
S24	11	(packet with sequence same ((wireless or mobile) network)) request\$3 (assembl\$3 with packet same message) gateway	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:28
S25	2	(receiv\$3 with packet with sequence same ((wireless or mobile) network)) request\$3 (assembl\$3 with packet same message) gateway	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:29
S26	6	(packet with sequence same ((wireless or mobile) network)) request\$3 (assembl\$3 with packet same message) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:32
S27	1	(receiv\$3 with packet with sequence same ((wireless or mobile) network)) request\$3 (assembl\$3 with packet same message) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:29

## EAST Search History

S28	6	(network with interface) (packet with sequence same ((wireless or mobile) network)) request\$3 (assembl\$3 with packet same message) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:51
S29	47	(packet same ((wireless or mobile) network)) (sequence with control) (assembl\$3 with packet same message) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 10:26
S30	19	(packet same ((wireless or mobile) with network)) (sequence with control) (assembl\$3 with packet same message) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 09:53
S31	12	(packet same ((wireless or mobile) with network)) (sequence with control) request\$3 (assembl\$3 with packet same message) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 10:05
S32	22	(packet same ((wireless or mobile) with network)) (sequence with control) request\$3 (assembl\$3 with packet same message) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 10:06
S33	11	(receiv\$3 with packet same ((wireless or mobile) with network)) (sequence with control) (request\$3 with packet) (assembl\$3 with packet same message) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 10:09
S34	2	((wireless or mobile) with (data or packet) with sequence with control) (request\$3 with packet) (assembl\$3 with packet same message) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 10:20
S35	2	(distributed with assembl\$3 with wireless with packet).ab,ti.	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 10:21
S36	450	(receiv\$3 (data or packet) with((wireless or mobile) network)) sequence (assembl\$3 with packet) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 10:53
S37	171	(receiv\$3 with (data or packet) with((wireless or mobile) network)) sequence (assembl\$3 with packet) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 10:31

## EAST Search History

S38	171	(receiv\$3 with (data or packet) with ((wireless or mobile) network)) sequence (assembl\$3 with packet) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 10:31
S39	33	(receiv\$3 with (data or packet) with ((wireless or mobile) network)) sequence (assembl\$3 with packet with message) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 10:31
S40	24	(receiv\$3 with (data or packet) with ((wireless or mobile) network)) (sequence with control) (assembl\$3 with (wireless or mobile) with (data or packet)) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 10:35
S41	15	(receiv\$3 with (data or packet) with ((wireless or mobile) network)) (sequence with control) distributed (assembl\$3 with (wireless or mobile) with (data or packet)) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 10:35
S42	35	(receiv\$3 (data or packet) with ((wireless or mobile) network)) (sequence with control) request distributed (assembl\$3 with packet) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:33
S43	70	(receiv\$3 (data or packet) with ((wireless or mobile) network)) (sequence with control) distributed ((reconstruct\$3 or assembl\$3) with packet) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:04
S44	51	(receiv\$3 (data or packet) with ((wireless or mobile) network)) (sequence with control) request distributed ((reconstruct\$3 or assembl\$3) with packet) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:05
S45	24	(receiv\$3 (data or packet) with ((wireless or mobile) network)) ((determin\$3 with sequence) same request) distributed ((reconstruct\$3 or assembl\$3) with packet) gateway @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:06
S46	49	(receiv\$3 (data or packet) with ((wireless or mobile) network)) (sequence with control) request distributed (assembl\$3 with packet) (gateway or bridge or touter) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:34

## EAST Search History

S47	69	(receiv\$3 (data or packet) with ((wireless or mobile) network)) (sequence with control) request distributed (assembl\$3 with packet) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:35
S48	0	(receiv\$3 (data or packet) with ((wireless or mobile) network)) (sequence with control) (distributed with wireless with assembly) ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:36
S49	137	(receiv\$3 (data or packet) with ((wireless or mobile) network)) (determin\$3 with sequence) distributed ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:38
S50	113	(interface with (device or unit)) (receiv\$3 (data or packet) with ((wireless or mobile) network)) (determin\$3 with sequence) distributed ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:39
S51	25	(wireless with interface with (device or unit)) (receiv\$3 (data or packet) with ((wireless or mobile) network)) (determin\$3 with sequence) distributed ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:39
S52	42	(wireless with interface with (system or device or unit)) (receiv\$3 (data or packet) with ((wireless or mobile) network)) (determin\$3 with sequence) distributed ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:40

## EAST Search History

S53	0	(wireless with interface with (system or device or unit)) (receiv\$3 (data or packet) with ((wireless or mobile) network)) (determin\$3 with sequence with (pre adj determin\$3)) distributed ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:41
S54	0	(wireless with interface with (system or device or unit)) (receiv\$3 (data or packet) with ((wireless or mobile) network)) (determin\$3 with sequence with "pre-determined") distributed ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:41
S55	113	(wireless with interface with (system or device or unit)) (receiv\$3 (data or packet) with ((wireless or mobile) network)) (determin\$3 with (sequence or order)) distributed ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:46
S56	6	(wireless with interface with (system or device or unit)) (receiv\$3 (data or packet) with ((wireless or mobile) network)) (determin\$3 with (sequence or order)) (request\$3 with missing with packet) distributed ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:49
S57	17	(wireless with interface with (system or device or unit)) (receiv\$3 (data or packet) with ((wireless or mobile) network)) (determin\$3 with (sequence or order)) (request\$3 with (missing or lost) with packet) distributed ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 11:50

## EAST Search History

S58	17	(wireless with interface with (system or device or unit)) (receiv\$3 (data or packet) with ((wireless or mobile) network)) (determin\$3 with (sequence or order)) (request\$3 with (missing or lost) with packet) distributed ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 12:04
S59	26	(receiv\$3 (data or packet) with ((wireless or mobile) network)) (determin\$3 with (sequence or order)) (request\$3 with (missing or lost) with packet) distributed ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 12:06
S60	17	(receiv\$3 with (wireless or mobile) with (data or packet)) (determin\$3 with (sequence or order)) (request\$3 with (missing or lost) with packet) ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 12:18
S61	0	(receiv\$3 with packet with (wireless or mobile) with network) (determin\$3 with packet with meet\$3 with criteria) (request\$3 with (missing or lost) with packet) ((reconstruct\$3 or assembl\$3) with packet with message) (gateway or bridge) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 12:21
S62	1	(receiv\$3 with packet with (wireless or mobile) with network) (determin\$3 with packet with meet\$3 with criteria) (request\$3 with (missing or lost) with packet) ((reconstruct\$3 or assembl\$3) with packet with message) (gateway or bridge)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 12:20
S63	0	(receiv\$3 with packet with (wireless or mobile)) (determin\$3 with packet with criteria) (request\$3 with (missing or lost) with packet) ((reconstruct\$3 or assembl\$3) with packet with message) (gateway or bridge) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 12:25



## EAST Search History

S64	0	(receiv\$3 with packet with (wireless or mobile)) (determin\$3 with packet with (criteria or condition)) (request\$3 with (missing or lost) with packet) ((reconstruct\$3 or assembl\$3) with packet with message) (gateway or bridge) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 12:25
S65	0	(receiv\$3 with packet with (wireless or mobile)) (determin\$3 with packet with (criteria or condition)) (request\$3 with (missing or lost) with packet) ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 12:26
S66	15	(receiv\$3 with packet with (wireless or mobile)) (determin\$3 with packet with (sequence or order)) (request\$3 with (missing or lost) with packet) ((reconstruct\$3 or assembl\$3) with packet) (gateway or bridge) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 13:03
S67	16	(receiv\$3 with packet with (wireless or mobile)) (determin\$3 with packet with (sequence or order)) (request\$3 with (missing or lost) with packet) ((reconstruct\$3 or assembl\$3 or reassembl\$3) with packet) (gateway or bridge) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 16:30
S68	5	("6088342"   "6330435"   "6519223"   "6532211"   "6628641").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/08/28 14:29
S69	212	data with transfer with handover	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 16:31
S70	27	(data with transfer with handover) (sequence with control)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 16:35
S71	2	(data with transfer with handover) (request\$3 with (missing or lost) with packet)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 16:37
S72	168	(data with transfer with handover) packet	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 16:37
S73	29	(data with transfer with handover) packet (assembl\$3 or reconstruct\$3 or reassembl\$3 or re-assembl\$3)	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 16:39

## EAST Search History

S74	17	(data with transfer with handover) packet (assembl\$3 or reconstruct\$3 or reassembl\$3 or re-assembl\$3) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 16:44
S75	15	(data with transfer with handover) request\$3 packet (assembl\$3 or reconstruct\$3 or reassembl\$3 or re-assembl\$3) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 16:45
S76	2	((transfer\$4 or transmit\$4) with (data adj packet) with handover) (request\$3 with packet) (assembl\$3 or reconstruct\$3 or reassembl\$3 or re-assembl\$3) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 16:50
S77	2	((transfer\$4 or transmit\$4 or forward\$3) with (data adj packet) with handover) (request\$3 with packet) (assembl\$3 or reconstruct\$3 or reassembl\$3 or re-assembl\$3) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 16:52
S78	57	((transfer\$4 or transmit\$4 or forward\$3) with (data adj packet) with handover) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 16:54
S79	5	((transfer\$4 or transmit\$4 or forward\$3) with (data adj packet) with handover) (assembl\$3 or reconstruct\$3 or reassembl\$3 or re-assembl\$3) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 16:52
S80	18	((transfer\$4 or transmit\$4 or forward\$3) with (data adj packet) with handover) wireless (gateway or bridge) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 17:02
S81	44	((transfer\$4 or transmit\$4 or forward\$3) with (data adj packet) with (handoff or handover)) wireless (gateway or bridge) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 16:58
S82	9	((transfer\$4 or transmit\$4 or forward\$3) with (data adj packet) with (handoff or handover)) ((assembl\$3 or reconstruct\$3 or reassembl\$3 or re-assembl\$3) with packet) wireless (gateway or bridge) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 16:59
S83	21	((transfer\$4 or transmit\$4 or forward\$3) with (data adj packet) with handover) wireless (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 17:26

## EAST Search History

S84	12	((transfer\$4 or forward\$3) with (data adj packet) with handover) wireless (gateway or bridge or router) @ad<"20040226"	US-PGPUB; USPAT; EPO; JPO	AND	ON	2007/08/28 17:27
-----	----	---	---------------------------------	-----	----	------------------